

Amendments to the Claims

This listing of claims will replace all prior versions and listing of claims in the above-identified application

Listing of Claims:

1 (Currently Amended). A method of facilitating failover of a stateful protocol connection from a proxy element to a standby proxy, the method comprising:

receiving, at the proxy element, data sent by a first external entity in accordance with a first stateful protocol connection;

withholding acknowledgment of receipt of the data at the proxy element until a predefined operation involving the data has been performed, said predefined operation being performed subsequent to the receipt of the data and being other than determining the data has been satisfactorily received;

establishing a connection between the proxy element and the standby proxy;

transferring, via the connection, state information relating to the first stateful protocol connection from the proxy element to a standby proxy; and

sending, from the proxy element, the acknowledgment of receipt to the first external entity subsequent to performance of the predefined operation involving the data.

2 (Original). The method of claim 1 wherein the predefined operation comprises committing the data to an application executing upon the proxy element and receiving a send acknowledgment command from the application.

3 (Original). The method of claim 1 wherein the predefined operation comprises:
sending, from the proxy element, the data to a second external entity; and
receiving, at the proxy element, a second acknowledgment that the data has been received at the second external entity.

4 (Original). The method of claim 3 wherein the sending of the data to the second external entity is performed in accordance with a second stateful protocol connection, the method further including transferring state information relating to the second stateful protocol connection to the standby proxy.

5 (Original). The method of claim 1 further including failing over the first stateful protocol connection to the standby proxy.

6 (Original). The method of claim 4 further including failing over the second stateful protocol connection to the standby proxy.

7 (Original). The method of claim 1 further including:
transmitting, from the first external entity, the data to the proxy element and retaining a copy of the data; and
deleting the copy of the data upon receipt at the first external entity of the acknowledgment.

8 (Original). The method of claim 1 wherein the transferring of the state information is performed in accordance with an additional stateful protocol connection.

9 (Original). The method of claim 5 further including beginning servicing, at the standby proxy, the first stateful protocol connection from a last successful point of synchronization between the proxy element and the standby proxy.

10 (Original). The method of claim 1 further including detecting, at the standby proxy, failure of the first stateful protocol connection and initiating failover of the first stateful protocol connection from the proxy element to the standby proxy.

11 (Currently Amended). A method of facilitating failover of a stateful protocol connection, the method comprising:

receiving, at a primary system, data sent by a first external entity in accordance with the stateful protocol connection;

withholding acknowledgment of receipt of the data until a predefined operation involving the data has been performed;

establishing a connection between the primary system and a standby system;

transferring, via the connection, state information relating to the stateful protocol connection to ~~a~~the standby system; and

sending, from the primary system, the acknowledgment of receipt to the first external entity subsequent to performance of the predefined operation involving the data, said predefined operation being performed subsequent to the receipt of the data and being other than determining the data has been satisfactorily received.

12 (Original). The method of claim 11 wherein the predefined operation comprises committing the data to an application and receiving a send acknowledgment command from the application.

13 (Original). The method of claim 11 wherein the predefined operation comprises:

sending the data to a host entity; and

receiving confirmation that the data has been received at the host entity.

14 (Original). The method of claim 11 further including failing over the stateful protocol connection to the standby system.

15 (Original). The method of claim 11 wherein the transferring of the state information is performed in accordance with an additional stateful protocol connection.

16 (Previously Presented). The method of claim 14 further including beginning servicing, at the standby system, the stateful protocol connection from a last successful point of synchronization between the proxy element and the standby system.

17 (Previously Presented). The method of claim 11 further including detecting, at the standby system, failure of the stateful protocol connection and initiating failover of the stateful protocol connection to the standby system.

18 (Currently Amended). A stateful protocol processing apparatus comprising:

a proxy element having a first protocol core and a second protocol core, the first protocol core supporting a first stateful protocol connection over which data is received from a first external entity wherein the proxy element is configured to withhold acknowledgment of receipt of the data until a predefined operation involving the data has been performed and to send the acknowledgment of receipt to the first external entity subsequent to performance of the predefined operation, said predefined operation being performed subsequent to the receipt of the data and being other than determining the data has been satisfactorily received; and

a standby element having a connection to the proxy element to which state information relating to the first stateful protocol connection is transferred from the proxy element to the standby element via the connection.

19 (Original). The apparatus of claim 18 wherein the predefined operation comprises committing the data to an application executing upon the proxy element and receiving a send acknowledgment command from the application, wherein the proxy element is further configured to send the acknowledgment of receipt to the first external entity subsequent to performance of the predefined operation.

20 (Original). The apparatus of claim 18 wherein the second protocol core is configured to support a second stateful protocol connection to a second external entity over which is transmitted the data and wherein the predefined operation comprises receiving, at the proxy

element, a second acknowledgment that the data has been received at the second external entity.

21 (Previously Presented). The apparatus of claim 18 further including a switch disposed to failover the first stateful protocol connection from the proxy element to the standby element.

22 (Previously Presented). The apparatus of claim 21 further including a failure detection unit configured to detect failure of the first stateful protocol connection and to command the switch to initiate said failover, the standby element beginning servicing of the first stateful protocol connection from a last successful point of synchronization between the proxy element and the standby element.

23 (Previously Presented). The apparatus of claim 18 wherein the standby element includes memory in which is stored the state information relating to the first stateful protocol connection.

24 (Currently Amended). A method of facilitating failover of a stateful protocol connection, the method comprising:

receiving data sent by a first external entity in accordance with the stateful protocol connection;

establishing a connection to a standby system;

transferring, via the connection, state information relating to the stateful protocol connection to a the standby system;

withholding acknowledgment of receipt of the data until a predefined operation involving the data has been performed wherein the predefined operation is other than determining the data has been satisfactorily received, the predefined operation being performed subsequent to the receipt of the data and including storing the state information in memory within the standby system, and

sending the acknowledgment of receipt to the first external entity subsequent to

performance of the predefined operation involving the data.

25 (Previously Presented). The method of claim 24 wherein the predefined operation further comprises committing the data to an application and receiving a send acknowledgment command from the application.

26 (Previously Presented). The method of claim 24 wherein the predefined operation further comprises:

sending the data to a host entity; and

receiving confirmation that the data has been received at the host entity.

27 (New). The method of claim 1 wherein the connection between the proxy element and the standby proxy is a second stateful protocol connection.

28 (New). The method of claim 27 wherein the second stateful protocol connection is a TCP connection.

29 (New). The method of claim 1 wherein the state information is transferred from a first memory associated with the proxy element to a second memory associated with the standby proxy.

30 (New). The method of claim 1 wherein the state information is transferred only after a stateful protocol connection has been established between the proxy element, an external client and an external server, and data has been transferred between the external client and the external server.

31 (New). The method of claim 1 wherein the state information is transferred during establishment of a stateful protocol connection between the proxy element, an external client and an external server.

32 (New). The method of claim 1 wherein the proxy element sends the acknowledgment of receipt to the first external entity prior to receiving a confirmation from the standby proxy that the state information has been transferred.

33 (New). The method of claim 1 wherein all of the state information is transferred during an initial synchronization operation between the proxy element and the standby proxy.

34 (New). The method of claim 33 wherein only changes to the state information transmitted during the initial synchronization operation are transferred during a subsequent synchronization operation.

35 (New). The method of claim 1 wherein the state information is transferred during a first synchronization operation between the proxy element and the standby proxy, and wherein only changes to the state information are transmitted during a second, subsequent synchronization operation between the proxy element and the standby proxy.

36 (New). The method of claim 5 wherein said failing over the first stateful protocol connection to the standby proxy is initiated based on an automatic discovery scheme.

37 (New). The method of claim 36 wherein the automatic discovery scheme comprises determining failure of a heartbeat packet within a defined timeout period.

38 (New). The method of claim 5 wherein said failing over the first stateful protocol connection to the standby proxy is initiated based on an external discovery scheme.

39 (New). The method of claim 38 wherein the external discovery scheme comprises detecting failure of the proxy by an external failure detection entity.

40 (New). The method of claim 39 wherein the external detection entity commands a switch to redirect packets destined for the proxy element to the standby proxy.